



EQUIPPED TO
DO MORE

\$65,000

Quote

6/21/2021

Address 110 Stanford Parkway
Findlay, OH 45840
USA

Reference Number R-00007642
Expiration Date 7/21/2021

Prepared By Derick Becker
Email derick.becker@vermeerallroads.com

Contact Name Dan Ledyard
Phone 419-467-5877
Email daniel.ledyard@toledo.oh.gov

Bill To Name CITY OF TOLEDO/DIV. OF ACCOUNTING
Bill To 1 Government Ctr
Ste 2020
Toledo, OH 43604-2283
US


Ship To 1 Government Ctr
Ste 2020
Toledo, OH 43604-2283
US

Product Name	Product Details	Quantity	Sales Price	Total Price
VERMEER SC80213VP	74HP Deutz TD2.9 tier 4 final turbocharged diesel engine Manual control valve with swing-out control station Operator presence system SmartSweep control system Gearbox cutter drive Rubber curtains Rubber torsion suspension Pintle hitch Double safety chains Electric brakes with break away switch 6-bolt 10X16.5 flotation LRE tires Multifunction display (MFD) ~ TELEMATICS Includes telematics hardware and 3 years cellular service.	1.00	\$52,482.00	\$52,482.00
SC802 Remote Option	Wireless Remote Option	1.00	\$5,291.00	\$5,291.00
VERMEER SC8528VP	Rubber tired, self-propelled 4WD stump grinder includes: 74 HP Deutz TD2.9L tier 4 final liquid cooled turbo-charged diesel engine Multifunction display (MFD) Low oil pressure and high coolant temperature shutdown Operator presence system Electric over hydraulic joystick propel controls with side swing out control station Front auxiliary propel functions Auto Sweep control Hydrostatic gearbox cutter drive Chip blade with hydraulic raise & lower Rubber curtains Yellow Jacket cutting system Non radio remote control option. ~ TELEMATICS Includes telematics hardware and 3 years cellular service.	1.00	\$69,951.00	\$69,951.00
SC852 Remote Option	Wireless Remote Control Option	1.00	\$4,975.00	\$4,975.00

OHIO STS PRICING

Signature: _____


SC802 STUMP CUTTER




AUTOSWEEP. The patented AutoSweep® control system monitors engine speed and automatically adjusts cutter wheel sweep rate to maximize power to the cutter wheel while reducing engine stress.




OPERATOR PRESENCE SYSTEM. This user-friendly operator presence system is intended to help protect the operator and enhance operator safety.




TONGUE LENGTH. A 60" (152.4 cm) tongue extension helps reduce the amount of repositioning needed on a jobsite.



PATENTED YELLOW JACKET™ CUTTER SYSTEM. The Vermeer-exclusive Yellow Jacket cutter system is designed to provide faster, easier serviceability, as well as extended pocket and tooth life.



SWING ARC. The sweep arc measures 103" (261.6 cm). The below-ground cutting depth of 25" (63.5 cm) allows operators to cut even the largest stumps efficiently. The rear deck design allows for chip containment capacity of approximately 68 cu ft (1.9 cu/m).



FLOATATION TIRES. This standard feature allows the weight of the machine to be dispersed over a larger area reducing the ground disturbance.

