

GENERAL INFORMATION

Subject

- | | | |
|-----------|---|--|
| Request | - | Special Use Permit for a School |
| Location | - | 1501 N Ontario Street |
| Applicant | - | That Neighborhood Church
1501 N Ontario Street
Toledo, OH 43604 |
| Owner | - | Great Lakes District of the Christian and Missionary Alliance
2250 S Huron Parkway
Ann Arbor, MI 48104 |
| Engineer | - | Cappelletty Engineering
6145 Douglas Road
Toledo, OH 43613 |

Site Description

- | | | |
|--------------|---|---|
| Zoning | - | RD6 / Duplex Residential |
| Area | - | ±0.70 acres |
| Frontage | - | ±207.5 ft along Ontario Street
±144.6 ft along Bush Street |
| Existing Use | - | Religious Assembly |
| Proposed Use | - | Religious Assembly & School |

Area Description

- | | | |
|-------|---|---|
| North | - | RD6 & RS6 / Single Dwelling Houses, Apartments, Duplex |
| South | - | CN & RD6 / Single Dwelling Houses, Apartments, Tavern |
| East | - | RD6 / Single Dwelling Houses |
| West | - | RD6 & RS6 / Convenience Store, Single Dwelling Houses, Duplexes |

Parcel History

- | | | |
|----------|---|--|
| Z-131-82 | - | Proposed rezoning of properties located in the “Central Region” of the North Toledo Neighborhood Strategies Area (NSA). (P.C. approved 09/16/82, Ord. 618-82 & 715-82) |
|----------|---|--|

GENERAL INFORMATION (cont'd)

Parcel History (cont'd)

Z-132-82	-	Proposed rezoning of properties in the Second Tier of the North Toledo Neighborhood Strategies Area (NSA). (P.C. approved 09/16/82, Ord. 619-82)
SPR-53-14	-	Minor Site Plan Review for new parking lot at 1501 N Ontario Street (Administratively approved with conditions on 12/03/14)

Applicable Regulations

- Toledo Municipal Code (TMC), Part Eleven: Planning and Zoning Code
- Toledo 20/20 Comprehensive Plan
- Vistula Neighborhood Master Plan

STAFF ANALYSIS

The applicant is requesting a Special Use Permit for a school at 1501 N Ontario St. The ±0.85-acre site is zoned RD6 (Duplex Residential), which permits schools with a Special Use Permit. The site is currently used as a church (religious assembly). The applicant intends to keep operating the church in the same building as the school. To the north of the site are single-dwelling homes, apartments, and a duplex, to the south of the site are single-dwelling homes, apartments, and a tavern, to the east are single-dwelling homes, and to the west are single-dwelling homes, duplexes, and a convenience store.

Parking and Circulation

Circulation through the site will remain the same as it currently exists with an ingress-only drive off Bush Street and an egress-only drive off Ontario Street. TMC§1107.0300 *Off-street parking Schedule "A"* requires a minimum of three (3) off-street parking spaces for the proposed school and a minimum of twelve (12) off-street parking spaces for the existing church. The applicant proposes to keep the site's existing 23 off-street parking spaces. The parking is compliant, but at the maximum allowed. TMC§1107.0302 *Maximums* states that no use may provide more than 150 percent of the minimum.

The applicant has provided two accessible parking spaces – one more than is required by TMC§1107.1700. These spaces must be identified with signs and pavement markings reserving them for persons with disabilities. Signs must be posted directly in front of the parking space at a height of no less than 60 inches and no more than 72 inches above pavement level.

A minimum of one (1) bicycle space per ten (10) automobile parking spaces plus one (1) bicycle space per three (3) students is required pursuant to TMC§1107.0300 *Off-Street Parking Schedule "A"*. The site plan provides five (5) bicycle parking spaces. Thirteen (13) are required.

STAFF ANALYSIS (cont'd)

Landscaping and Screening

A landscaped frontage greenbelt is required along all public rights-of-way. At least one tree must be provided for every thirty feet (30') of lot frontage, rounded up. The lot has ±144 feet of frontage on Bush Street and ±207 feet of frontage on N Ontario Street, requiring five (5) trees and seven (7) trees respectfully. The site plan provides two (2) trees along Bush Street and one (1) tree along N Ontario Street. The Plan Director agrees to waive this requirement down to three (3) trees due to the existing buildings abutting the rights-of-way of Bush and Ontario Streets.

A perimeter landscape buffer is required along any parking lot area adjacent to a street, place, or driveway, or which is visible from an immediately adjacent property. On this site, a perimeter landscape buffer is required along the eastern property line and portions of the northern property line. A perimeter landscape buffer is not required adjacent to 818 Bush Street due to the property being used by the Church in an accessory manner. The perimeter landscape buffer must contain a minimum of one canopy tree for each 30 linear feet, plus a continuous row of shrubs with a minimum height of 18 inches. Privacy fencing may substitute for the shrub requirement per TMC§1108.0203(D)(2). The perimeter provides shrubs along most of the eastern perimeter and a six-foot (6') solid fence in the remaining areas. A minimum of seven (7) trees are required in the perimeter landscape buffer. Only four (4) are provided; however, one of the provided trees is existing and has an estimated caliper of twenty-one inches (21"). Per TMC§1108.0407 *Tree Preservation and Credit For Existing Landscape Materials*, this existing tree may count as six (6) trees towards the tree quantity requirement. The proposed perimeter landscape buffer is acceptable as depicted.

Because the site area is over ½ acre, irrigation is required for all landscaped areas. The Plan Director has agreed to waive this requirement so long as all landscape material is within 100 feet of a water outlet (hose bib).

Building Design and Materials

The proposed school will occupy the existing church building. No new structures or façade changes are proposed.

Toledo 20/20 Comprehensive Plan

The Toledo 20/20 Comprehensive Plan targets the site for Single-Family Residential land uses. Single-Family land uses may include libraries, schools, churches, and community centers. The proposed school is compatible with the 20/20 Comprehensive Plan.

Vistula Master Plan

This site lies in the Single Family Residential District of the Plan's framework. One of this neighborhood's strategies is to promote Bush as a "Premier Street". The Plan also recognizes the applicant, That Neighborhood Church, as a neighborhood anchor that provides neighborhood services. The promotion of That Neighborhood Church to include a school will help promote Bush as a "Premier Street" and help a neighborhood anchor assist the neighborhood in a more robust way. The proposed school is compatible with the Vistula Neighborhood Plan.

STAFF RECOMMENDATION

The staff recommends that the Toledo City Plan Commission recommend approval of SUP-2004-24, a Special Use Permit for a school at 1501 N Ontario Street to the Toledo City Council, for the following two (2) reasons:

1. The proposed use meets the stated purpose of the Zoning Code (TMC§1111.0706(A)); and;
2. The proposed use complies with all applicable provisions of this Zoning Code (TMC§1111.0706(B)).

The staff further recommends that the Toledo City Plan Commission recommend approval of SUP-2004-24, a Special Use Permit for a school at 1501 N Ontario Street, to the Toledo City Council, subject to the following **thirty-four (34)** conditions:

The following conditions are listed by agency of origin. Applicants are encouraged to contact each of the agencies to address compliance with their conditions.

Engineering Services

1. All **proposed** sidewalk, drive approaches, curb, and pedestrian curb ramps within the public right-of-way shall be constructed in accordance with the City of Toledo Construction Standards, Specifications, Toledo Municipal Code, and Americans with Disabilities Act guidelines.
2. All commercial drive approaches, (along with the sidewalk through the drive) shall be constructed with 8" thick concrete per City of Toledo Construction Standards and Specifications. No curb shall be permitted in the right-of-way along either side of a drive approach. **No horizontal curb cutting will be permitted to create a curb drop/opening.** Existing drive approaches, including the curb drop, that will no longer be utilized shall be removed and restored with curb to match the adjacent curb.
3. Required permits for all approved work in the public right-of-way shall be obtained, before work begins, from Ted Rousos, 419-245-1347. The application can be obtained online at Toledo.oh.gov search: Right of Way opening permit.

Contact Joe Warnka at (419)-245-1341 for inspection of above-mentioned items.

4. The City of Toledo public water system does not appear to be impacted by this project. Refer to comments provided by the Division of Water Distribution regarding private water mains and/or service lines.

Water Distribution

No comments or concerns.

STAFF RECOMMENDATION (cont'd)

Division of Sewer & Drainage Services

5. S&DS requires that all existing private sewer lines that are not being removed or properly abandoned (both storm & sanitary) be cleaned and inspected.
6. S&DS requires that the existing private sanitary lines (after they have been cleaned) that are not being removed or properly abandoned be televised from the building (or private cleanout) to where they connect with the public sewer system if this has not been done in the past (2) two years. An electronic copy (DVD/memory stick) shall be provided to S&DS demonstrating the lines cleaning and integrity.

Division of Environmental Services

7. Applicant shall maintain compliance with the City of Toledo's Storm Water regulations as specified in the Toledo Municipal Code. Special attention must be paid to all potential storm water impacts from the modification of the site, including but not limited to long-term operation and maintenance of existing structural and non-structural Best Management Practices.
8. Applicant shall maintain compliance with Ohio EPA's General Storm Water NPDES permit programs.
9. Applicant is strongly encouraged to include multiple green infra-structure measures to minimize runoff and increase infiltration, and to minimize amount of new and/or additional impervious surface on site.
10. Applicant is strongly encouraged to plant native, low maintenance and non-invasive trees, shrubs and perennials. Information is at <https://ohiodnr.gov/wps/portal/gov/odnr/discover-and-learn/plants-trees/invasive-plants>; a list of invasive plants and alternative species can be downloaded from https://www.oipc.info/uploads/5/8/6/5/58652481/alternatives_to_ohio_invasive_plant_species.pdf
11. Applicant shall maintain compliance with the City of Toledo and the State of Ohio's Air Quality Regulations applicable in the Toledo Municipal Code and the Ohio Administrative Code including, but not limited to the Asbestos and the Anti-Noise Laws.

Bureau of Fire Prevention

12. It appears that this building and any buildings on site that may be used for this school will undergo a change of use. This will require compliance with all applicable Building, Fire, Electrical, Mechanical and Plumbing code requirements. (OBC105.1 & 101.4)
13. All building construction plans for change of use to be submitted to the FD for review in addition to the Building Inspection Department plan submittal. (OFC104.2, OBC107.4.5)

STAFF RECOMMENDATION (cont'd)

Bureau of Fire Prevention (cont'd)

14. New and existing buildings shall be provided with approved address identification that meets Building & Fire Code requirements. (OBC 501.2 & OFC 505.1)
15. A warming stove is currently in place in a kitchen. Any heavier use for more than just warming or addition of cooking equipment and suppression system for same will need plans submitted for review by the Building Dept, Health Dept and the FD. (OFC104.2, OFC901.2)
16. Emergency Plans as required by the Ohio Fire Code shall be developed and reviewed by the FD. The school shall have in place Evacuation and Tornado procedures as well as staff training and response procedures as part of the emergency plan. (OFC403.5, 404, 405, 406 & 408)
17. A fire safety inspection is required prior to occupancy. (OFC105.3.3.2)

Division of Transportation

18. Wheel stops are required at all parking spots abutting sidewalks, property lines, planting areas and buildings per TMC 1107.1907.
19. Existing curb cut and drive approach that is no longer being utilized near exit drive on Ontario must be removed and replaced with new curb and grass to match adjacent areas.
20. Existing broken sidewalk on Ontario Street and Bush Street must be removed and replaced to match adjacent sidewalk areas.
21. Painted ground signs are required to help prevent wrong way traffic flow.
22. "Do not enter" signage is required at driveway exit on Ontario Street to prevent wrong way traffic flow.

Plan Commission

23. Off-street parking shall be provided pursuant to Off-Street Parking Schedule "A," (TMC§1107.0304). A total of fifteen (15) parking spaces are required for this site. The submitted site plan shows twenty-three (23) parking spaces. The site may not provide more than twenty-three (23) parking spaces (150% of minimum). **Acceptable as depicted.**
24. Bicycle parking slots shall be provided pursuant to Off-Street Parking Schedule "A," (TMC§1107.0300). Minimum number of bicycle parking slots required is thirteen (13). **Not acceptable as depicted. Additional bike rack must be installed.**

STAFF RECOMMENDATION (cont'd)

Plan Commission (cont'd)

25. Off-street parking and loading spaces, parking lots, maneuvering areas, aisles and driveways must be surfaced with concrete, bituminous asphalt, or other dust-free material other than gravel or loose fill, and be graded to drain all surface water towards the interior of the parking lot or to a stormwater treatment facility subject to the regulations and approval of the Department of Public Utilities.
26. Topsoil must be back filled to provide positive drainage of the landscape areas.
27. Landscaped areas may not contain bare soil, aggregated stone or decorative rock. Any ground area must be covered with hardwood mulch, grass or other vegetative ground coverage.
28. All landscape material must be properly maintained. No approved plant material shall be removed for any reason without being replaced with like kind, or without submitting a revised landscape plan to the Planning Director for review or approval.
29. All landscape material must be within 100 feet of a water outlet (hose bib).
30. Applicant shall obtain appropriate sign permits for any proposed signage.
31. The Special Use Permit may be reviewed for compliance with the conditions of approval, negative secondary effects, and adherence to all requirements of the Toledo Municipal Code. If outstanding issues are found and not addressed the Special Use Permit may be considered for revocation.
32. Approval of the Special Use Permit will lapse after one (1) year if the criteria listed in TMC§1111.0707 have not been met.
33. Minor adjustments to the site plan that do not violate the above conditions, or the Toledo Municipal Code, may be reviewed and approved by the Director of the Toledo City Plan Commission.
34. No permits shall be issued until arrangements satisfactory to the Director of the City of Toledo Plan Commission have been made for compliance with the conditions as set forth above.

REF: SUP-4001-24...June 13, 2024

SPECIAL USE PERMIT
TOLEDO CITY PLAN COMMISSION

REF: SUP-4001-24

DATE: June 13, 2024

TIME: 2:00 P.M.

CITY COUNCIL
ZONING AND PLANNING COMMITTEE

DATE: July 16, 2024


TIME: 4:00 P.M.

AS

Three (3) sketches follow


GENERAL LOCATION

SUP-4001-24
ID 4



ZONING & LAND USE

SUP-4001-24
ID 4




SITE PLAN

SUP-4001-24
ID 4



THE NEIGHBORHOOD CHURCH 1501 N. ONTARIO ST. SPECIAL USE PERMIT



LOCATION MAP

- LEGEND**
- 1. 1/2\"
 - 2. 1/2\"
 - 3. 1/2\"
 - 4. 1/2\"
 - 5. 1/2\"
 - 6. 1/2\"
 - 7. 1/2\"
 - 8. 1/2\"
 - 9. 1/2\"
 - 10. 1/2\"
 - 11. 1/2\"
 - 12. 1/2\"
 - 13. 1/2\"
 - 14. 1/2\"
 - 15. 1/2\"
 - 16. 1/2\"
 - 17. 1/2\"
 - 18. 1/2\"
 - 19. 1/2\"
 - 20. 1/2\"
 - 21. 1/2\"
 - 22. 1/2\"
 - 23. 1/2\"
 - 24. 1/2\"
 - 25. 1/2\"
 - 26. 1/2\"
 - 27. 1/2\"
 - 28. 1/2\"
 - 29. 1/2\"
 - 30. 1/2\"
 - 31. 1/2\"
 - 32. 1/2\"
 - 33. 1/2\"
 - 34. 1/2\"
 - 35. 1/2\"
 - 36. 1/2\"
 - 37. 1/2\"
 - 38. 1/2\"
 - 39. 1/2\"
 - 40. 1/2\"
 - 41. 1/2\"
 - 42. 1/2\"
 - 43. 1/2\"
 - 44. 1/2\"
 - 45. 1/2\"
 - 46. 1/2\"
 - 47. 1/2\"
 - 48. 1/2\"
 - 49. 1/2\"
 - 50. 1/2\"
 - 51. 1/2\"
 - 52. 1/2\"
 - 53. 1/2\"
 - 54. 1/2\"
 - 55. 1/2\"
 - 56. 1/2\"
 - 57. 1/2\"
 - 58. 1/2\"
 - 59. 1/2\"
 - 60. 1/2\"
 - 61. 1/2\"
 - 62. 1/2\"
 - 63. 1/2\"
 - 64. 1/2\"
 - 65. 1/2\"
 - 66. 1/2\"
 - 67. 1/2\"
 - 68. 1/2\"
 - 69. 1/2\"
 - 70. 1/2\"
 - 71. 1/2\"
 - 72. 1/2\"
 - 73. 1/2\"
 - 74. 1/2\"
 - 75. 1/2\"
 - 76. 1/2\"
 - 77. 1/2\"
 - 78. 1/2\"
 - 79. 1/2\"
 - 80. 1/2\"
 - 81. 1/2\"
 - 82. 1/2\"
 - 83. 1/2\"
 - 84. 1/2\"
 - 85. 1/2\"
 - 86. 1/2\"
 - 87. 1/2\"
 - 88. 1/2\"
 - 89. 1/2\"
 - 90. 1/2\"
 - 91. 1/2\"
 - 92. 1/2\"
 - 93. 1/2\"
 - 94. 1/2\"
 - 95. 1/2\"
 - 96. 1/2\"
 - 97. 1/2\"
 - 98. 1/2\"
 - 99. 1/2\"
 - 100. 1/2\"

LEGAL DESCRIPTION :
STICKNEY'S ADDITION LOT 113 NW 1/2 SE 1/2
STICKNEY'S ADDITION LOT 112 NW 1/2 SE 25 FT LOT 113
PARCEL NOS. 14-28164 & 14-28147
ASSESSOR NOS. 01-120-017 & 01-120-016

ENGINEER : MICHAEL CAPPELLETY, P.E.
6145 DOUGLAS RD.
TOLEDO, OHIO 43613
PHONE/FAX (419) 475-8200

No.	Revision/Issue	Date

Project Name and Address
CAPPELLETY
ENGINEERING-CONSTRUCTION
6145 DOUGLAS RD. TOLEDO, OHIO 43613
PHONE AND FAX NO. (419) 475-8200

Project Name and Address
SITE PLAN

Project	Sheet
Date: 10/17/14	1
Scale: 1"=20'	OF 2